



Safety Data Sheet

Copyright, 2018 Meguiar's, Inc.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|------------------------|-----------|-------------------------|----------|
| Document Group: | 39-4235-6 | Version Number: | 1.01 |
| Issue Date: | 07/16/18 | Supersedes Date: | 09/16/18 |

Product identifier

Meguiar's G1902 Quik Scratch Eraser Kit

ID Number(s):

LB-1100-2634-5, 14-1001-1916-4

Recommended use

Automotive

Supplier's details

| | |
|----------------------|---|
| MANUFACTURER: | Meguiar's, Inc. |
| DIVISION: | Meguiar's |
| ADDRESS: | 17991 Mitchell South, Irvine, CA 92614, USA |
| Telephone: | 949-752-8000 (Fax: 949-752-5784) |

Emergency telephone number

CHEMTREC 1-800-424-9300 (24 hours)

This product is a kit or a multipart product which consists of multiple, independently packaged components. A Safety Data Sheet (SDS), Article Information Sheet (AIS), or Article Information Letter (AIL) for each of these components is included. Please do not separate the component documents from this cover page. The document numbers for components of this product are:

27-6195-5

TRANSPORTATION INFORMATION

General Transportation Statement: This product does not require classification by DOT, IATA, ICAO or IMDG.

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Meguiar's, Inc. MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Meguiar's, Inc. product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Meguiar's, Inc. product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Meguiar's, Inc. product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Meguiar's, Inc. provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Meguiar's, Inc. makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from Meguiar's, Inc.

Meguiar's, Inc. USA SDSs are available at www.Meguiars.com



Safety Data Sheet

Copyright, 2014 Meguiar's, Inc.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|------------------------|-----------|-------------------------|----------|
| Document Group: | 27-6195-5 | Version Number: | 6.00 |
| Issue Date: | 11/14/14 | Supersedes Date: | 07/28/11 |

SECTION 1: Identification

1.1. Product identifier

G103, Scratch X 2.0 (20-191B): G10307

Product Identification Numbers

14-1000-0413-5, 14-1000-0414-3, 14-1000-0415-0, 14-1000-0416-8, 14-1000-0417-6

1.2. Recommended use and restrictions on use

Recommended use

Automotive, Polishing agent/burnishing compound

1.3. Supplier's details

| | |
|----------------------|---|
| MANUFACTURER: | Meguiar's, Inc. |
| DIVISION: | Meguiar's |
| ADDRESS: | 17991 Mitchell South, Irvine, CA 92614, USA |
| Telephone: | 949-752-8000 (Fax: 949-752-5784) |

1.4. Emergency telephone number

CHEMTREC 1-800-424-9300 (24 hours)

SECTION 2: Hazard identification

The label elements below were prepared in accordance with OSHA Hazard Communication Standard, 29 CFR 1910.1200. This information may be different from the actual product label information for labels regulated by other agencies.

2.1. Hazard classification

Skin Corrosion/Irritation: Category 2.

2.2. Label elements

Signal word

Warning

Symbols

Exclamation mark |

Pictograms**Hazard Statements**

Causes skin irritation.

Precautionary Statements**General:**

Keep out of reach of children.

Prevention:

Wear protective gloves.

Wash thoroughly after handling.

Response:

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

2.3. Hazards not otherwise classified

None.

13% of the mixture consists of ingredients of unknown acute inhalation toxicity.

SECTION 3: Composition/information on ingredients

| Ingredient | C.A.S. No. | % by Wt |
|----------------------------------|------------|--------------------------|
| Non-Hazardous Ingredients | Mixture | 60 - 90 Trade Secret * |
| Medium Aliphatic Solvent Naphtha | 64742-88-7 | 7 - 13 Trade Secret * |
| White mineral oil (petroleum) | 8042-47-5 | 10 - 11 Trade Secret * |
| Aluminum Oxide (non-fibrous) | 1344-28-1 | 4 - 10 Trade Secret * |
| Glycerin | 56-81-5 | 0.5 - 1.5 Trade Secret * |
| Triethanolamine | 102-71-6 | 0.5 - 1.5 Trade Secret * |

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures**4.1. Description of first aid measures****Inhalation:**

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-ProductsSubstance

Hydrocarbons
Carbon monoxide
Carbon dioxide
Irritant Vapors or Gases
Oxides of Nitrogen

Condition

During Combustion
During Combustion
During Combustion
During Combustion
During Combustion

5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from acids. Store away from strong bases.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | C.A.S. No. | Agency | Limit type | Additional Comments |
|--------------------------------------|------------|--------|---|--------------------------------|
| Triethanolamine | 102-71-6 | ACGIH | TWA:5 mg/m ³ | |
| Aluminum Oxide (non-fibrous) | 1344-28-1 | OSHA | TWA(as total dust):15 mg/m ³ ;TWA(respirable fraction):5 mg/m ³ | |
| Aluminum Oxide (non-fibrous) | 1344-28-1 | CMRG | TWA:1 fiber/cc | |
| Aluminum, insoluble compounds | 1344-28-1 | ACGIH | TWA(respirable fraction):1 mg/m ³ | A4: Not class. as human carcin |
| Glycerin | 56-81-5 | OSHA | TWA(as total dust):15 mg/m ³ ;TWA(respirable fraction):5 mg/m ³ | |
| Medium Aliphatic Solvent Naphtha | 64742-88-7 | CMRG | TWA:100 ppm | |
| White mineral oil (petroleum) | 8042-47-5 | CMRG | TWA:5 mg/m ³ ;STEL:10 mg/m ³ | |
| Paraffin oil | 8042-47-5 | OSHA | TWA(as mist):5 mg/m ³ | |
| MINERAL OILS, HIGHLY-REFINED OILS | 8042-47-5 | ACGIH | TWA(inhalable fraction):5 mg/m ³ | A4: Not class. as human carcin |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Eye protection not required.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended: Neoprene

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | |
|--|---|
| General Physical Form: | Liquid |
| Odor, Color, Grade: | Sweet hydrocarbon odor; White, creamy, viscous lotion |
| Odor threshold | <i>No Data Available</i> |
| pH | 8 - 8.8 |
| Melting point | <i>Not Applicable</i> |
| Boiling Point | <i>No Data Available</i> |
| Flash Point | Flash point > 93 °C (200 °F) |
| Evaporation rate | <i>No Data Available</i> |
| Flammability (solid, gas) | Not Applicable |
| Flammable Limits(LEL) | <i>No Data Available</i> |
| Flammable Limits(UEL) | <i>No Data Available</i> |
| Vapor Pressure | <i>No Data Available</i> |
| Vapor Density | <i>No Data Available</i> |
| Density | 1.18 g/cm ³ |
| Specific Gravity | 1.18 [Ref Std: WATER=1] |
| Solubility in Water | Moderate |
| Solubility- non-water | <i>No Data Available</i> |
| Partition coefficient: n-octanol/ water | <i>No Data Available</i> |
| Autoignition temperature | <i>No Data Available</i> |
| Decomposition temperature | <i>No Data Available</i> |
| Viscosity | 22,000 - 28,000 centipoise |
| Volatile Organic Compounds | 11.00 % weight |

SECTION 10: Stability and reactivity**10.1. Reactivity**

This material is considered to be non reactive under normal use conditions.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

Strong acids

Strong bases

10.6. Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact:

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|-----------------|-------------|---------|---|
| Overall product | Dermal | | No data available; calculated ATE > 5,000 mg/kg |
| Overall product | Inhalation- | | No data available; calculated ATE > 50 mg/l |

| | Vapor(4 hr) | | |
|----------------------------------|--------------------------------|--------|---|
| Overall product | Ingestion | | No data available; calculated ATE > 5,000 mg/kg |
| Medium Aliphatic Solvent Naphtha | Inhalation-Vapor | | LC50 estimated to be 20 - 50 mg/l |
| Medium Aliphatic Solvent Naphtha | Dermal | Rabbit | LD50 > 3,000 mg/kg |
| White mineral oil (petroleum) | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| Medium Aliphatic Solvent Naphtha | Ingestion | Rat | LD50 > 5,000 mg/kg |
| White mineral oil (petroleum) | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Aluminum Oxide (non-fibrous) | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Aluminum Oxide (non-fibrous) | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 2.3 mg/l |
| Aluminum Oxide (non-fibrous) | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Triethanolamine | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| Triethanolamine | Ingestion | Rat | LD50 9,000 mg/kg |
| Glycerin | Dermal | Rabbit | LD50 estimated to be > 5,000 mg/kg |
| Glycerin | Ingestion | Rat | LD50 > 5,000 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|----------------------------------|---------|---------------------------|
| Medium Aliphatic Solvent Naphtha | Rabbit | Irritant |
| White mineral oil (petroleum) | Rabbit | No significant irritation |
| Aluminum Oxide (non-fibrous) | Rabbit | No significant irritation |
| Triethanolamine | Rabbit | Minimal irritation |
| Glycerin | Rabbit | No significant irritation |

Serious Eye Damage/Irritation

| Name | Species | Value |
|----------------------------------|---------|---------------------------|
| Medium Aliphatic Solvent Naphtha | Rabbit | No significant irritation |
| White mineral oil (petroleum) | Rabbit | Mild irritant |
| Aluminum Oxide (non-fibrous) | Rabbit | No significant irritation |
| Triethanolamine | Rabbit | Mild irritant |
| Glycerin | Rabbit | No significant irritation |

Skin Sensitization

| Name | Species | Value |
|----------------------------------|------------|--|
| Medium Aliphatic Solvent Naphtha | Guinea pig | Not sensitizing |
| White mineral oil (petroleum) | Guinea pig | Not sensitizing |
| Triethanolamine | Human | Some positive data exist, but the data are not sufficient for classification |
| Glycerin | Guinea pig | Not sensitizing |

Respiratory Sensitization

| Name | Species | Value |
|------|---------|-------|
| | | |

Germ Cell Mutagenicity

| Name | Route | Value |
|----------------------------------|----------|--|
| Medium Aliphatic Solvent Naphtha | In vivo | Not mutagenic |
| Medium Aliphatic Solvent Naphtha | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| White mineral oil (petroleum) | In Vitro | Not mutagenic |
| Aluminum Oxide (non-fibrous) | In Vitro | Not mutagenic |
| Triethanolamine | In Vitro | Not mutagenic |
| Triethanolamine | In vivo | Not mutagenic |

Carcinogenicity

| Name | Route | Species | Value |
|----------------------------------|------------|-------------------------|--|
| Medium Aliphatic Solvent Naphtha | Dermal | Mouse | Some positive data exist, but the data are not sufficient for classification |
| Medium Aliphatic Solvent Naphtha | Inhalation | Human and animal | Some positive data exist, but the data are not sufficient for classification |
| White mineral oil (petroleum) | Dermal | Mouse | Not carcinogenic |
| White mineral oil (petroleum) | Inhalation | Multiple animal species | Not carcinogenic |
| Aluminum Oxide (non-fibrous) | Inhalation | Rat | Not carcinogenic |
| Triethanolamine | Dermal | Multiple animal species | Not carcinogenic |
| Triethanolamine | Ingestion | Mouse | Some positive data exist, but the data are not sufficient for classification |
| Glycerin | Ingestion | Mouse | Some positive data exist, but the data are not sufficient for classification |

Reproductive Toxicity**Reproductive and/or Developmental Effects**

| Name | Route | Value | Species | Test Result | Exposure Duration |
|----------------------------------|------------|----------------------------------|---------|-----------------------|----------------------|
| Medium Aliphatic Solvent Naphtha | Inhalation | Not toxic to development | Rat | NOAEL 2.4 mg/l | during organogenesis |
| White mineral oil (petroleum) | Ingestion | Not toxic to female reproduction | Rat | NOAEL 4,350 mg/kg/day | 13 weeks |
| White mineral oil (petroleum) | Ingestion | Not toxic to male reproduction | Rat | NOAEL 4,350 mg/kg/day | 13 weeks |
| White mineral oil (petroleum) | Ingestion | Not toxic to development | Rat | NOAEL 4,350 mg/kg/day | during gestation |
| Triethanolamine | Ingestion | Not toxic to development | Mouse | NOAEL 1,125 mg/kg/day | during organogenesis |
| Glycerin | Ingestion | Not toxic to female reproduction | Rat | NOAEL 2,000 mg/kg/day | 2 generation |
| Glycerin | Ingestion | Not toxic to male reproduction | Rat | NOAEL 2,000 mg/kg/day | 2 generation |
| Glycerin | Ingestion | Not toxic to development | Rat | NOAEL 2,000 mg/kg/day | 2 generation |

Target Organ(s)**Specific Target Organ Toxicity - single exposure**

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|----------------------------------|------------|-----------------------------------|--|------------------|---------------------|-------------------|
| Medium Aliphatic Solvent Naphtha | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human and animal | NOAEL Not available | |
| Medium Aliphatic Solvent Naphtha | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |
| Medium Aliphatic Solvent Naphtha | Inhalation | nervous system | Some positive data exist, but the data are not sufficient for classification | Dog | NOAEL 6.5 mg/l | 4 hours |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|----------------------------------|------------|---|--|-------------------------|------------------------|-----------------------|
| Medium Aliphatic Solvent Naphtha | Inhalation | nervous system | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 4.6 mg/l | 6 months |
| Medium Aliphatic Solvent Naphtha | Inhalation | kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 1.9 mg/l | 13 weeks |
| Medium Aliphatic Solvent Naphtha | Inhalation | respiratory system | Some positive data exist, but the data are not sufficient for classification | Multiple animal species | NOAEL 0.6 mg/l | 90 days |
| Medium Aliphatic Solvent Naphtha | Inhalation | bone, teeth, nails, and/or hair blood liver muscles | All data are negative | Rat | NOAEL 5.6 mg/l | 12 weeks |
| Medium Aliphatic Solvent Naphtha | Inhalation | heart | All data are negative | Multiple animal species | NOAEL 1.3 mg/l | 90 days |
| White mineral oil (petroleum) | Ingestion | hematopoietic system | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 1,381 mg/kg/day | 90 days |
| White mineral oil (petroleum) | Ingestion | liver immune system | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 1,336 mg/kg/day | 90 days |
| Aluminum Oxide (non-fibrous) | Inhalation | pneumoconiosis pulmonary fibrosis | Some positive data exist, but the data are not sufficient for classification | Human | NOAEL Not available | occupational exposure |
| Triethanolamine | Dermal | kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Multiple animal species | NOAEL 2,000 mg/kg/day | 2 years |
| Triethanolamine | Dermal | liver | Some positive data exist, but the data are not sufficient for classification | Mouse | NOAEL 4,000 mg/kg/day | 13 weeks |
| Triethanolamine | Ingestion | kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 1,000 mg/kg/day | 2 years |
| Triethanolamine | Ingestion | liver | Some positive data exist, but the data are not sufficient for classification | Guinea pig | NOAEL 1,600 mg/kg/day | 24 weeks |
| Glycerin | Inhalation | respiratory system | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 3.91 mg/l | 14 days |
| Glycerin | Inhalation | heart liver kidney and/or bladder | All data are negative | Rat | NOAEL 3.91 mg/l | 14 days |
| Glycerin | Ingestion | endocrine system hematopoietic system liver kidney and/or bladder | All data are negative | Rat | NOAEL 10,000 mg/kg/day | 2 years |

Aspiration Hazard

| Name | Value |
|----------------------------------|-------------------|
| Medium Aliphatic Solvent Naphtha | Aspiration hazard |
| White mineral oil (petroleum) | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information**Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

SECTION 14: Transport Information

General Transportation Statement: This product does not require classification by DOT, IATA, ICAO or IMDG

Please contact the emergency numbers listed on the first page of the MSDS for Transportation Information for this material.

SECTION 15: Regulatory information

15.1. US Federal Regulations

Contact manufacturer for more information

311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - Yes Delayed Hazard - No

15.2. State Regulations

Contact manufacturer for more information

15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA.

Contact manufacturer for more information

15.4. International Regulations

Contact manufacturer for more information

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification

Health: 1 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

| | | | |
|------------------------|-----------|-------------------------|----------|
| Document Group: | 27-6195-5 | Version Number: | 6.00 |
| Issue Date: | 11/14/14 | Supersedes Date: | 07/28/11 |

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Meguiar's, Inc. MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Meguiar's, Inc. product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Meguiar's, Inc. product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Meguiar's, Inc. product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Meguiar's, Inc. provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Meguiar's, Inc. makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from Meguiar's, Inc.

Meguiar's, Inc. USA SDSs are available at www.Meguiars.com